

DIAGNOSIS OF REVERSIBLE CEREBRAL VASOCONSTRICTION SYNDROME

Krishnan Anandhu, Rawat Aditya

Samarkand state medical university

ANNOTATION. The results of an examination of 130 patients with thunderclap headache, analysis of clinical data, and the results of the neuroimaging method - magnetic resonance angiography (MRAG) are presented. Analysis of the results of MRA 15 days after the clinical manifestation allows us to verify the presence of cerebral vasoconstriction, which provides the choice of therapy, positive clinical and neuroimaging signs of regression of vasospasm.

Key words: magnetic resonance angiography, cerebral vasoconstriction syndrome, thunderclap headache, reversible cerebral vasoconstriction.

Introduction. Reversible cerebral vasoconstriction syndrome (RCVS) in the literature until 2007 was represented by various definitions (about 13 names): Call-Fleming syndrome, "thundering headache with cerebral vasospasm", "reversible cerebral segmental vasospasm", "acute benign cerebral angiopathy", "isolated benign cerebral vasculitis", idiopathic thunderclap headache with reversible vasospasm, "puerperal angiopathy", "migrainous angiitis or vasospasm", "CNS pseudovasculitis", "drug-induced cerebral arteritis or angiopathy", etc. [12]. The first clinical description of reversible cerebral vasoconstriction syndrome (RCVS) was presented in 1999 by D. W. Dodick [2]. In 2007, A. Ducros et al. published data from a study of 67 patients with this syndrome over a period of 3 years [3]. In 2007, L. H. Calabrese et al. a definition was given and diagnostic criteria for SCV were formulated [4]. Clinical manifestations of SCV include: intense headache, intermittently accompanied by focal or general cerebral symptoms, convulsive paroxysms. A mandatory neuroimaging sign of SCV is multiple segmental spasm of the cerebral arteries, which spontaneously regresses within 3 months (Ducros, 2013) [5]. Despite the clinical and neuroimaging substantiation of SCV, presented in the literature more than 10 years ago, this syndrome is diagnosed extremely rarely by radiology specialists. According to epidemiological data, the disease occurs with a wide range in different populations, more often in Asian populations, with a maximum incidence in the Chinese population [6], and with a predominance of females, the ratio of the development of SCV (women:men) ranges from 2–10:1 respectively [7]. The literature discusses the issues of genetically determined predisposition to the development of SCV associated with polymorphism of the neurotrophic factor: missense mutation Val66Met, which explains some clinical features in the development of vasoconstriction [8]. There is a primary SCV (40%) - an idiopathic syndrome that is not associated with cerebral or somatic pathology, surgical interventions, or the use of vasoactive substances. However, with a thorough history taking, identifiable triggers are identified in 80% of patients: intense physical/sexual activity, significant emotional stress, cough, defecation, thermal

effects (sauna, cold shower) [9, 10]. Secondary CVV (symptomatic) can be caused by hormonal imbalance, angiopathy of the early postpartum period, tumors (pheochromocytoma, bronchial carcinoma), hyperglycemia, porphyria, head injuries, pathology of extra- and intracranial vessels, including dissection of cerebral arteries, hangover syndrome (after excessive alcohol consumption) [6, 11]. Depending on the identification of the provoking factor, DSCV is distinguished due to drug induction (drug-induced SRCV), the occurrence of which is associated with the use of: vasoactive substances, cannabis, cocaine, amphetamine, lysergic acid diethylamide, selective serotonin reuptake inhibitors (SSRIs) and norepinephrine (SSRIs), sympathomimetics (nasal spray), prescription of immunosuppressants, cytostatics, triptans, weight loss products, ergot alkaloids, ginseng, application of nicotine patches [11].

Materials and methods. In the period from 2013 to 2018, 130 patients aged 37.4 ± 12.0 (18–65) years were under our supervision, of which 98 (75.4%) were women, whose average age was 37.8 ± 10.9 years, 32 (24.6%) men, mean age 34.2 ± 9.2 (18–48) years. The diagnosis of CVV was made according to diagnostic criteria [4, 5]: the presence of segmental vasoconstriction of the cerebral arteries during MR angiography/CT angiography, which makes it possible to verify the presence of “rosary beads”, “beads” (resolution of signs of vasoconstriction occurs within 12 weeks), on background of a characteristic headache (sudden, thunderous), meeting the criteria for thunderhead headache, lack of evidence of subarachnoid hemorrhage (SAH), and normal cerebrospinal fluid analysis [8, 12–14]. All patients underwent clinical and neurological examination, blood pressure monitoring, ECG, clinical analysis, routine biochemical blood tests, 15 patients underwent lumbar puncture to exclude aneurysmal subarachnoid hemorrhage. All subjects underwent MRI (1.5 T and 3 T)/CT brain, MR angiography (MRAG), CT angiography within 15 to 35 days, 102 patients underwent magnetic resonance venography (MRVG), which made it possible to exclude venous pathology with similar clinical manifestations.

Results and its discussion. Primary SOCV was identified in 48 (37.8%), provoking factors noted in the examined patients, as well as the appearance of clinical manifestations after physical and sexual activity, psychological stress, and visiting a sauna.

Currently, differential diagnostic signs of various lesions of the intracranial arteries have been proposed, including on the basis of visualization of contrast accumulation directly in the vascular wall [16], however, in the framework of this study, a contrast study of the wall of the brachiocephalic arteries was not performed. Duplex scanning, according to the literature, cannot be recommended as a specific method for confirming CVV [8]. The low sensitivity of this non-invasive and widespread method for diagnosing cerebrovascular pathology for the condition under consideration may be associated with the intracranial localization of areas of vasospasm, small caliber of arteries, and short areas of vasospasm. In the treatment of CVS, it was primarily recommended to exclude provoking factors (limiting physical/sexual activity, eliminating triggers and their combinations, discontinuing and not prescribing vasoactive drugs). The main goal in the treatment of patients with CVV is the fight against vasospasm, since the patients in our

study had no effect from the administration of anticephalgic drugs. In terms of treatment of SOCV, the literature discusses the possibility of using magnesium sulfate to reduce arterial spasm. A controversial treatment option is the use of a short course of glucocorticoids, since hormonal therapy may worsen the prognosis, and therefore such therapy should be avoided [17]. The use of calcium channel blockers, nimodipine, is considered effective [18, 19]. We used this drug in all patients. However, given that the majority of the observed patients were hypotensive, therapy required dose adjustment under blood pressure control. During the therapy, a positive clinical result was observed: in most patients, a positive dynamics of headache regression was observed on days 2–3. After completing the course of taking nimodipine, the MRAG data were assessed over time: regression of neuroimaging signs of vasoconstriction (according to MRAG data) was confirmed after 3 months. Thus, the administration of nimodipine to patients with CVV determined a favorable prognosis not only for clinical, but also for neuroimaging data.

Conclusion. Reversible cerebral vasoconstriction syndrome is diagnosed by radiology specialists extremely rarely. This study with the identification and confirmation of the diagnosis of SOCV indicated a significant age range: 18–65 years with a predominance of females (75.8%). In making a diagnosis, it is of great importance, along with clarifying the onset of a thunderclap headache and identifying possible provoking factors, a mandatory neuroimaging study: MR angiography no earlier than 3-4 weeks from the onset of the disease, which will detect signs of multiple bilateral segmental narrowing of the arteries ("rosary", "beads"). Patients with suspected CVV in the acute period must undergo an in-depth neuroimaging examination: MRI of the brain, MR venography, and, if indicated, a lumbar puncture to exclude traumatic, infectious, acute cerebral vascular pathology and other possible causes of headache. The results of magnetic resonance angiography with the detection of segmental vasospasm will make it possible to prevent the severe consequences of arterial vasoconstriction and promptly prescribe calcium channel blockers that promote a positive clinical effect and regression of signs of vasospasm, which is confirmed by the data of MR angiography over time.

References

1. Akbarovich, Y. G., & Vaxobovich, A. O. (2022). IMPROVEMENT OF THE METHOD OF RADIATION DIAGNOSTICS OF DEGENERATIVE CENTRAL STENOSIS OF THE CERVICAL SPINAL CANAL. *American Journal of Interdisciplinary Research and Development*, 6, 48-51.
2. Azizovich, H. T. (2021). A Modern Approach to the Care of Victims with Combined Pelvic and Femoral Bone Injuries Based on the Severity of the Injury and the Severity of the Condition. *Central Asian Journal of Medical and Natural Science*, 2(4), 156-159.
3. Burievich, T. A., Norkulovich, P. S., & Azizovich, T. H. (2022). OPTIMAL CHOICE OF SURGICAL TREATMENT FOR LUMBAR SPONDYLOLISTHESI. *The American Journal of Medical Sciences and Pharmaceutical Research*, 4(02), 12-16.

4. Burievich, T. A., Tilakovich, T. B., & Azizovich, T. K. (2021). OUR EXPERIENCE OF SURGICAL TREATMENT OF UNKNOWN FRACTURES AND FALSE JOINTS OF THE SHIN BONES. *European Journal of Molecular & Clinical Medicine*, 7(09), 2020.
5. Furkatovich, S. B., Anvarovich, T. J., Akbarovich, Y. G., & Berdimurodovich, K. Z. (2021). Ultrasound diagnosis of hip dysplasia in infants. *World Bulletin of Public Health*, 5, 108-110.
6. Mamatmurodovna, M. G., Farhodovich, N. S., Saidkulovich, B. A., Umarjonovna, Y. E., & Amonillaevna, F. D. (2018). Peculiarities of x-ray semiotics in early age children with pneumonia. *European science review*, 2(11-12), 103-105.
7. Manapovich, M. S., Yuldashevich, V. E., Pulatovich, X. B., Lvovich, K. D., Jamalovich, A. J., Erkinovich, V. O., ... & Djamshidovich, I. A. (2021). EXPERIENCE OF APPLICATION OF SIMULTANE SURGERY IN PATIENTS WITH SKELETAL INJURY COMPLICATED WITH DEEP VENOUS THROMBOSIS OF THE LOWER LIMBS AND PELVIS. *European Journal of Molecular & Clinical Medicine*, 7(09), 2020.
8. Shamsiddinovich, M. J., Berdimuradovich, K. Z., & Berdialievich, U. S. (2022). Improvement of mri diagnostics in hoff's disease. *Yosh Tadqiqotchi Jurnali*, 1(4), 358-370.
9. Shirov, B. F. (2022). Early Diagnosis of DDH in Young Children in the Endemic Zone. *INTERNATIONAL JOURNAL OF HEALTH SYSTEMS AND MEDICAL SCIENCES*, 1(4), 413-415.
10. Shirov, B. F., & Yanova, E. U. (2021). Turdumatov ZhA. Ultrasound evaluation of various degrees of hip dysplasia in newborns. *Journal of Hepato-Gastroenterological Research*, 3(2), 146-149.
11. Tilyakov, H. A., Valiyev, E. Y., Tilyakov, A. B., & Tilyakov, A. B. (2021). A new approach to surgical treatment of victims with pelvic and femoral fracture injuries, taking into account the severity of the condition and the severity of the injury. *International Journal of Health and Medical Sciences*, 4(3), 338-346.
12. Tilyakov, K. A., Tilyakov, A. B., Shamsiev, J. Z., Rabimov, F. K., Rustamov, Z. A. U., & Sattarov, S. S. (2022). Our experience with the results of surgical treatment of victims with concomitant injuries of the pelvis and femur. *Cardiometry*, (24), 217-225.
13. Turdumatov, J., & Mardieva, G. (2020). Clinical and X-ray peculiarities of the course of chronic obstructive pulmonary disease in combination with diabetes mellitus. *European Journal of Molecular & Clinical Medicine*, 7(02), 2020.
14. Umarjonovna, Y. E., & Mamatmuradovna, M. G. (2020). Arcuate foramen of atlas: Do I need to diagnose?. *European Journal of Molecular & Clinical Medicine*, 7(02), 2020.
15. Алиев, Б. Г., Исмаел, А., Уразовская, И. Л., Мансуров, Д. Ш., Ткаченко, А. Н., Хайдаров, В. М., & Спичко, А. А. (2022). Частота и структура негативных

последствий эндопротезирования тазобедренного сустава в отдаленные сроки. *Новости хирургии*, 30(4), 392-400.

16. Алиев, М. А., Раджабов, Х. Х., Холмуродова, Х. Х., & Холмуродов, О. Х. (2022). Результат хирургического лечения длинной интрамедуллярной опухоли спинного мозга со сирингомиелией. *Uzbek journal of case reports*, 2(3), 7-17.

17. Балглей, А. Г., Ткаченко, А. Н., Хайдаров, В. М., Мансуров, Д. Ш., & Уразовская, И. Л. (2022). Частота и структура осложнений при артроскопическом лечении остеоартрита коленного сустава. *Вестник Северо-Западного государственного медицинского университета им. ИИ Мечникова*, 14(2), 35-47.

18. Барановский, А. А., Балглей, А. Г., Ткаченко, А. Н., Мансуров, Д. Ш., & Хромов, А. А. (2023). Возможности туннелизации в лечении остеоартрита коленного сустава. *Гений ортопедии*, 29(2), 204-210.

19. Барановский, А. А., Уразовская, И. Л., Мансуров, Д. Ш., Сайганов, С. А., Мазуров, В. И., Ткаченко, А. Н., & Мамасолиев, Б. М. (2022). Организация лечения остеоартрита коленного сустава. *Uzbek journal of case reports*, 2(3), 37-45.

20. Валиев, Э. Ю., Тиляков, Х. А., Каримов, Б. Р., & Исмоилов, А. Д. (2021). СОВРЕМЕННЫЙ ВЗГЛЯД НА ВЫБОР ТАКТИКИ ЛЕЧЕНИЯ ПОСТРАДАВШИХ С СОЧЕТАННЫМИ ПОВРЕЖДЕНИЯМИ ТАЗА И БЕДРА. In *МЕДИЦИНСКАЯ ПОМОЩЬ ПРИ ТРАВМАХ. НОВОЕ В ОРГАНИЗАЦИИ И ТЕХНОЛОГИЯХ. РОЛЬ НАЦИОНАЛЬНОЙ ОБЩЕСТВЕННОЙ ПРОФЕССИОНАЛЬНОЙ ОРГАНИЗАЦИИ ТРАВМАТОЛОГОВ В СИСТЕМЕ ЗДРАВООХРАНЕНИЯ РФ* (pp. 23-24).

21. Валиев, Э. Ю., Хасанов, З. Р., Яхёев, А. С., & Тиляков, Х. А. (2022). Совершенствование оказания хирургической помощи пострадавшим с повреждениями таза. In *Скорая медицинская помощь-2022* (pp. 36-38).

22. Вансович, Д. Ю., Сердобинцев, М. С., Усиков, В. В., Цололо, Я. Б., Мансуров, Д. Ш., Спичко, А. А., ... & Вороков, А. А. (2021). Применение электростатического поля электрета при хирургическом лечении больных гонартрозом. *Медико-фармацевтический журнал «Пульс»*, 23(3), 24-30.

23. Воронов, А. А., Фадеев, Е. М., Спичко, А. А., Алиев, Б. Г., Мурзин, Е. А., Хайдаров, В. М., ... & Ткаченко, А. Н. (2020). Возможности прогноза местных инфекционных осложнений при артропластике тазобедренного и коленного суставов. *Медико-фармацевтический журнал «Пульс»*, 22(12), 106-111.

24. Гайковая, Л. Б., Ткаченко, А. Н., Ермаков, А. И., Фадеев, Е. М., Усиков, В. В., Хайдаров, В. М., & Мансуров, Д. Ш. (2018). Лабораторные маркеры прогноза инфекции области хирургического вмешательства при транспедикулярной фиксации позвоночника. *Профилактическая и клиническая медицина*, 1, 50-56.

25. Гиясова, Н. К., & Шукурова, Л. Б. (2022). Оценка результатов перфузионной компьютерной томографии печени как неинвазивного метода изучения гемодинамики печеночной паренхимы у пациентов с фиброзом и циррозом. *Central Asian Journal of Medical and Natural Science*, 3(3), 646-653.

26. Гиясова, Н., Жалилов, Х., Садуллаев, О., Назарова, М., & Шавкатова, Ш. (2022). Визуализация травматических повреждений плечевого пояса (часть 2). *Involta Scientific Journal*, 1(11), 59-75.

27. Жалилов, Х. М., Каххаров, А. С., Негматов, И. С., Бобохолова, С. Ш., & Шавкатова, Ш. Ш. (2022). Краткая История Искусственного Интеллекта И Роботизированной Хирургии В Ортопедии И Травматологии И Ожидания На Будущее. *Central Asian Journal of Medical and Natural Science*, 3(6), 223-232.

28. Каримов, З., Мухсинов, К., Назарова, М., & Шавкатова, Ш. (2022). Визуализация травматических повреждений плечевого пояса (часть 1). *Involta Scientific Journal*, 1(11), 43-58.

29. Каххаров, А. С., Гиясова, Н. К., Шавкатова, Ш. Ш., & Рахмонов, У. Т. (2022). Асептический Некроз Головки Бедренной Кости, Рекомендации Для Врачей. *Central Asian Journal of Medical and Natural Science*, 3(4), 268-277.

30. Каххаров, А. С., Гиясова, Н. К., Шукурова, Л. Б., & Шавкатова, Ш. Ш. (2022). Профилактика Асептического Некроза Головки Бедренной Кости Вызванного Стероидами При Лечении COVID-19. *Central Asian Journal of Medical and Natural Science*, 3(6), 63-78.

31. Каххаров, А. С., Гиясова, Н. К., Шукурова, Л. Б., & Шавкатова, Ш. Ш. (2022). Факторы риска развития асептического остеонекроза (новейший обзор литературы). *Science and Education*, 3(11), 305-313.

32. МАМУРОВА, М. М., Умаржоновна, Я. Э., БАХРИТДИНОВ, Б. Р., ГИЯСОВА, Н. К., & МАРДИЕВА, Г. М. (2022). On the assessment of anomalies in the development of the vertebrobasilar zone in dyscirculatory encephalopathy by MRI. *Журнал биомедицины и практики*, 7(1).

33. Мамурова, М. М., Янова, Э. У., Бахритдинов, Б. Р., Гиясова, Н. К., & Мардиева, Г. М. (2021). Магнитно-Резонансная Томография В Диагностика Дискарикулярной Энцефалопатии На Фоне Аномалий Развития. *Central Asian Journal of Medical and Natural Science*, 2(6), 131-136.

34. Мансуров, Д. Ш., Лучкевич, В. С., Тарасов, А. В., Корнеенков, А. А., & Ткаченко, А. Н. (2019). Обоснование медико-организационных мероприятий по улучшению профилактики и оценка вероятности развития инфекции в области хирургического вмешательства у пострадавших с переломами костей. *Профилактическая и клиническая медицина*, (1), 39-45.

35. Мансуров, Д. Ш., Тарасов, А. А., Дорофеев, Ю. Л., Федуличев, П. Н., Корнеенков, А. А., & Ткаченко, А. Н. (2018). Организация профилактики местных гнойных осложнений при травматологических операциях в Республике Крым. In *Профилактическая медицина-2018* (pp. 85-90).

36. Мансуров, Д. Ш., Уразовская, И. Л., Сайганов, С. А., Ткаченко, А. Н., Хайдаров, В. М., Балглей, А. Г., & Тотоев, З. А. (2022). Роль артропластики в комплексном лечении остеоартрита коленного сустава. *Политравма*, (3), 80-88.

37. Мардиева, Г. М., & Ашуров, Ж. Н. У. (2022). Possibilities of radiography in the diagnosis of pneumonia in newborns. *Uzbek journal of case reports*, 2(3), 31-36.
38. Мардиева, Г. М., Облобердиева, П. О. К., & Казаков, С. Ю. У. (2020). Лучевые методы исследования в диагностике портальной гипертензии (обзор литературы). *Вопросы науки и образования*, (41 (125)), 61-76.
39. Мардиева, Г. М., Уринбоева, Д. С., Шукурова, Л. Б., & Гиясова, Н. К. (2021). Аспекты ультразвуковой диагностики хронического тиреоидита. *Re-health journal*, (1 (9)), 47-50.
40. Мардиева, Г., Ашуров, Ж., Бахритдинов, Б., & Якубов, Г. (2021). РЕНТГЕНОЛОГИЧЕСКАЯ СИМПТОМАТИКА ПНЕВМОНИИ У ДЕТЕЙ РАННЕГО ВОЗРАСТА. *Журнал гепато-гастроэнтерологических исследований*, 2(3.1), 46-49.
41. Мухсинов, К. М., Шавкатова, Ш. Ш., & Орипова, Д. А. (2022). Ротационная Оценка Переломов Диафиза Плечевой Кости С Фиксированным Проксимальным Разгибанием По Методике Мירו. *Central Asian Journal of Medical and Natural Science*, 3(5), 279-285.
42. Норматова, З. И., & Янова, Э. У. (2017). Эпидемиология опухолей печени. In *Молодежь и медицинская наука в XXI веке* (pp. 222-224).
43. Руссу, И. И., Линник, С. А., Синенченко, Г. И., Ткаченко, А. Н., Фадеев, Е. М., & Мансуров, Д. Ш. (2016). Возможности вакуумной терапии в лечении инфекционных осложнений у пациентов ортопедо-травматологического профиля (обзор литературы). *Кафедра травматологии и ортопедии*, (2), 49-54.
44. Слабоспицкий, М. А., Мохов, Д. Е., Лимарев, В. В., Ткаченко, П. В., Ткаченко, А. Н., Мансуров, Д. Ш., & Хайдаров, В. М. (2022). Обоснование экономической эффективности авторской мануальной методики вправления вывиха плеча. *Российский остеопатический журнал*, (3), 103-113.
45. ТИЛЯКОВ, А. Б., & ТИЛЯКОВ, Х. А. (2022). ПРИМЕНЕНИЕ МАЛОИНВАЗИВНЫХ ТЕХНОЛОГИЙ ПРИ ЛЕЧЕНИИ ОПОРНО-ДВИГАТЕЛЬНОГО АППАРАТА У ПОСТРАДАВШИХ С ПОЛИТРАВМОЙ. *ЖУРНАЛ БИОМЕДИЦИНЫ И ПРАКТИКИ*, 7(2).
46. Ткаченко, А. Н., Корнеев, А. А., Дорофеев, Ю. Л., Мансуров, Д. Ш., Хромов, А. А., Хайдаров, В. М., ... & Алиев, Б. Г. (2021). Оценка динамики качества жизни методами анализа выживаемости у пациентов, перенесших артропластику тазобедренного сустава. *Гений ортопедии*, 27(5), 527-531.
47. Ткаченко, А. Н., Уль, Х. Э., Алказ, А. В., Ранков, М. М., Хромов, А. А., ФАДЕЕВ, Е., & МАНСУРОВ, Д. (2017). Частота и структура осложнений при лечении переломов длинных костей конечностей (обзор литературы). *Кафедра травматологии и ортопедии*, (3), 87-94.
48. Ткаченко, А. Н., Фадеев, Е. М., Усиков, В. В., Хайдаров, В. М., Мансуров, Д. Ш., & Нур, О. Ф. (2017). Прогноз и профилактика инфекции области

хирургического вмешательства при операциях на позвоночнике (обзор литературы). *Кафедра травматологии и ортопедии*, (1), 28-34.

49. Фадеев, Е. М., Хайдаров, В. М., Виссарионов, С. В., Линник, С. А., Ткаченко, А. Н., Усиков, В. В., ... & Фаруг, Н. О. (2017). Частота и структура осложнений при операциях на позвоночнике. *Ортопедия, травматология и восстановительная хирургия детского возраста*, 5(2), 75-83.

50. Хайдаров, В. М., Ткаченко, А. Н., Кирилова, И. А., & Мансуров, Д. Ш. (2018). Прогноз инфекции в области хирургического вмешательства при операциях на позвоночнике. *Хирургия позвоночника*, 15(2), 84-90.

51. Широ́в, Б. Ф. (2021). УЗИ ТАЗОБЕДРЕННОГО СУСТАВА ПО ГРАФУ: СТАНДАРТИЗОВАННОЕ РАННЕЕ ВЫЯВЛЕНИЕ ВРОЖДЕННОЙ ДИСПЛАЗИИ ТАЗОБЕДРЕННОГО СУСТАВА. *Scientific progress*, 2(2), 917-922.

52. Широ́в, Б., Янова, Э., & Турдуматов, Ж. (2021). Ultrasound assessment of varying degrees of hip dysplasia in neonates. *Журнал гепатогастроэнтерологических исследований*, 2(3.2), 146-149.

53. ЯНОВА, Э. У., & МАРДИЕВА, Г. М. (2020). Что такое аномалия Киммерле и как она влияет на кровообращение в вертебробазиллярной зоне (обзор литературы). *Журнал неврологии и нейрохирургических исследований*, 1(2).

54. Янова, Э. У. (2019). Влияние аномалии Киммерле на кровообращение в вертебробазиллярной зоне. *ТОМ-1*, 465.

55. Янова, Э. У., & Мардиева, Г. М. (2021). Выявление аномалии Киммерле лучевыми методами исследования. *Российский электронный журнал лучевой диагностики*, 11(4), 44-52.

56. Янова, Э. У., Мардиева, Г. М., & Юлдашев, Р. А. (2021). Evaluation of blood circulation in Kimmerle's anomaly. *Re-health journal*, (1), 30-33.

57. Янова, Э. У., Облобердиева, П. О., & Салохий, И. О. (2022). Сравнительный Анализ Рентгенологических Методов Исследования В Выявлении Аномалии Киммерле. *Central Asian Journal of Medical and Natural Science*, 3(5), 429-439.

58. Янова, Э. У., Юлдашев, Р. А., & Гиясова, Н. К. (2021). Аномалия Киммерле при визуализации краниовертебральной области. *вестник КГМА имени ИК Ахунбаева*, 4(4), 130-134.

59. Янова, Э. У., Юлдашев, Р. А., & Мардиева, Г. М. (2019). Лучевая диагностика краниовертебрального кровообращения при аномалии Киммерле. *Вопросы науки и образования*, (27 (76)), 94-99.

60. Янова, Э., Мардиева, Г., Гиясова, Н., Бахритдинов, Б., & Юлдашев, Р. (2021). Костная перемычка первого шейного позвонка. *Журнал вестник врача*, 1(4 (101)), 93-100.