

POSSIBILITIES OF MODERN RADIATION METHODS FOR DIAGNOSING KIDNEY DISEASES

Rawat Aditya, Krishnan Anandhu

Samarkand state medical university

Radiation or imaging methods occupy an important place in the diagnosis and differential diagnosis of kidney diseases. Their role has especially increased in recent years due to technical improvements that have significantly increased their resolution and safety. Radiation diagnostics has changed ideas about the prevalence of certain diseases (for example, ischemic kidney disease) and their role in the development of end-stage renal failure. Modern imaging methods allow not only to get an idea of the structural features of the kidneys and urinary tract, pathomorphological changes in them, but also to evaluate renal blood flow, filtration function, tubular transport, and urodynamics . Renal imaging is of great importance for diagnostic procedures (kidney biopsy) and surgical interventions on the kidneys, urinary tract and renal vessels. Based on the principles of image acquisition, imaging studies can be divided into ultrasound, x-ray (including conventional x-ray and computed tomography - CT), magnetic resonance and radioisotope.

Radiation methods for studying the kidneys

Ultrasonic:

- ultrasound examination (ultrasound);
- Doppler ultrasound (USDG). X-ray:
- fluoroscopy and radiography of the abdominal organs;
- excretory urography (EU);
- X-ray contrast methods for studying the urinary tract with the direct introduction of contrast agents into them (retrograde and antegrade pyeloureterography , retrograde and suprapubic cystography);
- renal angiography (RAA);
- X-ray contrast examination of the renal veins. CT:
- CT scan of the kidneys and urinary tract;
- CT angiography.

Magnetic resonance imaging (MRI):

- MRI of the kidneys and urinary tract;
- MRI angiography.

Radioisotope study (RI) of the kidneys:

- static and dynamic renoscintigraphy ;
- single photon emission CT (SPECT);
- positron emission tomography (PET).

In recent years, revolutionary technological changes such as the introduction of radiocontrast agents and digital image conversion have significantly expanded the capabilities of renal imaging and increased the importance of radiodiagnostic methods in nephrology. The role of radiocontrast agents is especially important in visualization of the kidneys using X-rays (EI, CT of the kidneys), for which the natural contrast of kidney tissue is small, as well as in angiographic studies. At the same time, the use of radiocontrast agents is associated with a high risk of complications, including kidney complications (acute renal failure) due to their chemo- and osmotoxicity . The main methods of preventing complications are identifying patients at high risk (reduced renal function, polyvalent drug allergies, diabetes mellitus, congestive heart failure, dehydration and hypotension, widespread atherosclerosis, liver dysfunction), using safer low-osmolar drugs, using the minimum possible doses, hydration of patients (1.5 ml/kg/h) for 12 hours before and after the study. The protective effect of prophylactic administration of dopamine, mannitol, and calcium antagonists has not yet been proven. The first data on the preventive effect of acetylcysteine are contradictory, and the positive results obtained by some authors need to be confirmed. In case of severe renal failure (blood creatinine level ≥ 2.0 mg/ dl), the use of radiocontrast agents is contraindicated. Currently, X-ray contrast agents are used not only in X-ray diagnostics, but also in MRI and ultrasound of the kidneys. In MRI, for the purpose of contrast, drugs containing the rare earth metal gadolinium are used, the atoms of which have special magnetic properties. The toxicity of gadolinium preparations is significantly lower (10 times or more compared to iodine-containing radiocontrast agents), and they can be prescribed to patients with renal failure. A real breakthrough in the development of methods for radiographic examination of internal organs was the advent of CT, which provides a layer-by-layer image of the human body in a transverse projection, which is important both for improving visualization due to the elimination of interference, and for accurately determining the localization of pathological formations. The inventors of this method, Cormack and Hounsfield, were awarded the Nobel Prize. Modern spiral high-speed tomographs make it possible to obtain a complete image of the kidneys and their vascular tree in 1 phase of the respiratory cycle and carry out a computer reconstruction of a three-dimensional image of the organ (see figure). Currently, digital image conversion with the subsequent creation of a three-dimensional image is used not only in CT and MRI, but also in modern modifications of ultrasound, X-ray (SPECT). Digitization of images provides the possibility of secondary analysis using special filters that increase contrast, allows you to archive a large amount of information for the purpose of repeated analysis, assess the dynamics of changes, and instantly transmit it over long distances for consultation.

Invasive diagnostic methods are increasingly used, when the radiation source and sensor are brought closer to the object of study to obtain a better image due to increased

resolution and reduced interference (for example, ultrasound of the renal artery with intra-arterial insertion of the sensor). This method makes it possible to study in detail the structure and echo density of an atherosclerotic plaque and thrombus, can be combined with therapeutic endovascular interventions, and is used when performing transjugular kidney biopsy. Improving radiology diagnostics is not only improving image quality, but also expanding the possibilities for studying renal function. Traditionally, the greatest importance is attached to radioisotope research methods (dynamic renoscintigraphy), which make it possible to most accurately assess the blood supply to the kidneys, their filtration function, compare the rate of glomerular filtration in the right and left kidney, study the effective renal plasma flow, identify the phenomena of hyperperfusion of the renal glomeruli and hyperfiltration, the functional state of the tubular apparatus and urinary tract patency. New modifications of MRI (magnetic resonance spectrometry) and RI (PET) have the ability to study the characteristics of metabolism in tissues. The picture of kidney damage in various diseases has certain features that you need to know. However, the specificity of changes in the kidneys detected using radiation diagnostic methods is, as a rule, low, and the diagnosis can only be made by taking into account survey data, complaints, anamnesis, results of physical examination, laboratory and instrumental testing.

MRI has the greatest versatility in the study of kidneys, but this method will not be widely available for a long time; In addition, it has disadvantages and limitations and therefore cannot replace other renal imaging methods. Ultrasound is distinguished from other methods by its combination of a wide range of diagnostic capabilities, high safety, relatively low cost and high availability, so today it forms the basis of diagnostics in nephrology. As a rule, the examination of a nephrology patient begins with this imaging method, and in many situations ultrasound provides comprehensive information. In order for expensive diagnostic equipment to be used effectively, a developed service system, the ability to supply the necessary auxiliary devices, additional accessories and consumables are needed. A separate issue is the training of specialists who could competently interpret the results and use all the capabilities of the equipment. The quality of specialist training is of particular importance for ultrasound diagnostics, since storing the entire amount of information is impossible, and image quality highly depends on skills (correct installation of the sensor). It is also important to document research results in detail and correctly and store this data. Modern means of communication make it possible to quickly discuss research results with specialists located many thousands of kilometers away, but this is only possible in the case of strict standardization of the research protocol and technique. Although diagnostics using imaging methods are primarily performed by radiologists, the nephrologist must have basic skills in interpreting images of the kidneys obtained using different methods, and have a good understanding of the advantages and limitations of each of them, since it is his task to determine the indications for the use of certain methods. methods, comparing the data obtained with each other, as well as with data from laboratory tests, anamnesis, medical examination and making a final diagnosis. Joint conferences and reviews of the most difficult diagnostic cases with the participation of radiologists and nephrologists are very useful.

References

1. Akbarovich, Y. G., & Vaxobovich, A. O. (2022). IMPROVEMENT OF THE METHOD OF RADIATION DIAGNOSTICS OF DEGENERATIVE CENTRAL STENOSIS OF THE CERVICAL SPINAL CANAL. *American Journal of Interdisciplinary Research and Development*, 6, 48-51.
2. Azizovich, H. T. (2021). A Modern Approach to the Care of Victims with Combined Pelvic and Femoral Bone Injuries Based on the Severity of the Injury and the Severity of the Condition. *Central Asian Journal of Medical and Natural Science*, 2(4), 156-159.
3. Burievich, T. A., Norkulovich, P. S., & Azizovich, T. H. (2022). OPTIMAL CHOICE OF SURGICAL TREATMENT FOR LUMBAR SPONDYLOLISTHESI. *The American Journal of Medical Sciences and Pharmaceutical Research*, 4(02), 12-16.
4. Burievich, T. A., Tilakovich, T. B., & Azizovich, T. K. (2021). OUR EXPERIENCE OF SURGICAL TREATMENT OF UNKNOWN FRACTURES AND FALSE JOINTS OF THE SHIN BONES. *European Journal of Molecular & Clinical Medicine*, 7(09), 2020.
5. Furkatovich, S. B., Anvarovich, T. J., Akbarovich, Y. G., & Berdimurodovich, K. Z. (2021). Ultrasound diagnosis of hip dysplasia in infants. *World Bulletin of Public Health*, 5, 108-110.
6. Mamatmurodovna, M. G., Farhodovich, N. S., Saidkulovich, B. A., Umarjonovna, Y. E., & Amonillaevna, F. D. (2018). Peculiarities of x-ray semiotics in early age children with pneumonia. *European science review*, 2(11-12), 103-105.
7. Manapovich, M. S., Yuldashevich, V. E., Pulatovich, X. B., Lvovich, K. D., Jamalovich, A. J., Erkinovich, V. O., ... & Djamshidovich, I. A. (2021). EXPERIENCE OF APPLICATION OF SIMULTANE SURGERY IN PATIENTS WITH SKELETAL INJURY COMPLICATED WITH DEEP VENOUS THROMBOSIS OF THE LOWER LIMBS AND PELVIS. *European Journal of Molecular & Clinical Medicine*, 7(09), 2020.
8. Shamsiddinovich, M. J., Berdimuradovich, K. Z., & Berdialievich, U. S. (2022). Improvement of mri diagnostics in hoff's disease. *Yosh Tadqiqotchi Jurnali*, 1(4), 358-370.
9. Shirov, B. F. (2022). Early Diagnosis of DDH in Young Children in the Endemic Zone. *INTERNATIONAL JOURNAL OF HEALTH SYSTEMS AND MEDICAL SCIENCES*, 1(4), 413-415.
10. Shirov, B. F., & Yanova, E. U. (2021). Turdumatov ZhA. Ultrasound evaluation of various degrees of hip dysplasia in newborns. *Journal of Hepato-Gastroenterological Research*, 3(2), 146-149.
11. Tilyakov, H. A., Valiyev, E. Y., Tilyakov, A. B., & Tilyakov, A. B. (2021). A new approach to surgical treatment of victims with pelvic and femoral fracture injuries,

taking into account the severity of the condition and the severity of the injury. *International Journal of Health and Medical Sciences*, 4(3), 338-346.

12. Tilyakov, K. A., Tilyakov, A. B., Shamsiev, J. Z., Rabimov, F. K., Rustamov, Z. A. U., & Sattarov, S. S. (2022). Our experience with the results of surgical treatment of victims with concomitant injuries of the pelvis and femur. *Cardiometry*, (24), 217-225.

13. Turdumatov, J., & Mardieva, G. (2020). Clinical and X-ray peculiarities of the course of chronic obstructive pulmonary disease in combination with diabetes mellitus. *European Journal of Molecular & Clinical Medicine*, 7(02), 2020.

14. Umarjonovna, Y. E., & Mamatmuradovna, M. G. (2020). Arcuate foramen of atlas: Do I need to diagnose?. *European Journal of Molecular & Clinical Medicine*, 7(02), 2020.

15. Алиев, Б. Г., Исмаел, А., Уразовская, И. Л., Мансуров, Д. Ш., Ткаченко, А. Н., Хайдаров, В. М., & Спичко, А. А. (2022). Частота и структура негативных последствий эндопротезирования тазобедренного сустава в отдаленные сроки. *Новости хирургии*, 30(4), 392-400.

16. Алиев, М. А., Раджабов, Х. Х., Холмуродова, Х. Х., & Холмуродов, О. Х. (2022). Результат хирургического лечения длинной интрамедуллярной опухоли спинного мозга со сирингомиелией. *Uzbek journal of case reports*, 2(3), 7-17.

17. Балглей, А. Г., Ткаченко, А. Н., Хайдаров, В. М., Мансуров, Д. Ш., & Уразовская, И. Л. (2022). Частота и структура осложнений при артроскопическом лечении остеоартрита коленного сустава. *Вестник Северо-Западного государственного медицинского университета им. ИИ Мечникова*, 14(2), 35-47.

18. Барановский, А. А., Балглей, А. Г., Ткаченко, А. Н., Мансуров, Д. Ш., & Хромов, А. А. (2023). Возможности туннелизации в лечении остеоартрита коленного сустава. *Гений ортопедии*, 29(2), 204-210.

19. Барановский, А. А., Уразовская, И. Л., Мансуров, Д. Ш., Сайганов, С. А., Мазуров, В. И., Ткаченко, А. Н., & Мамасолиев, Б. М. (2022). Организация лечения остеоартрита коленного сустава. *Uzbek journal of case reports*, 2(3), 37-45.

20. Валиев, Э. Ю., Тиляков, Х. А., Каримов, Б. Р., & Исмоилов, А. Д. (2021). СОВРЕМЕННЫЙ ВЗГЛЯД НА ВЫБОР ТАКТИКИ ЛЕЧЕНИЯ ПОСТРАДАВШИХ С СОЧЕТАННЫМИ ПОВРЕЖДЕНИЯМИ ТАЗА И БЕДРА. In *МЕДИЦИНСКАЯ ПОМОЩЬ ПРИ ТРАВМАХ. НОВОЕ В ОРГАНИЗАЦИИ И ТЕХНОЛОГИЯХ. РОЛЬ НАЦИОНАЛЬНОЙ ОБЩЕСТВЕННОЙ ПРОФЕССИОНАЛЬНОЙ ОРГАНИЗАЦИИ ТРАВМАТОЛОГОВ В СИСТЕМЕ ЗДРАВООХРАНЕНИЯ РФ* (pp. 23-24).

21. Валиев, Э. Ю., Хасанов, З. Р., Яхёев, А. С., & Тиляков, Х. А. (2022). Совершенствование оказания хирургической помощи пострадавшим с повреждениями таза. In *Скорая медицинская помощь-2022* (pp. 36-38).

22. Вансович, Д. Ю., Сердобинцев, М. С., Усиков, В. В., Цололо, Я. Б., Мансуров, Д. Ш., Спичко, А. А., ... & Вороков, А. А. (2021). Применение

электростатического поля электрета при хирургическом лечении больных гонартрозом. *Медико-фармацевтический журнал «Пульс»*, 23(3), 24-30.

23. Воронов, А. А., Фадеев, Е. М., Спичко, А. А., Алиев, Б. Г., Мурзин, Е. А., Хайдаров, В. М., ... & Ткаченко, А. Н. (2020). Возможности прогноза местных инфекционных осложнений при артропластике тазобедренного и коленного суставов. *Медико-фармацевтический журнал «Пульс»*, 22(12), 106-111.

24. Гайковая, Л. Б., Ткаченко, А. Н., Ермаков, А. И., Фадеев, Е. М., Усиков, В. В., Хайдаров, В. М., & Мансуров, Д. Ш. (2018). Лабораторные маркеры прогноза инфекции области хирургического вмешательства при транспедикулярной фиксации позвоночника. *Профилактическая и клиническая медицина*, 1, 50-56.

25. Гиясова, Н. К., & Шукурова, Л. Б. (2022). Оценка результатов перфузионной компьютерной томографии печени как неинвазивного метода изучения гемодинамики печеночной паренхимы у пациентов с фиброзом и циррозом. *Central Asian Journal of Medical and Natural Science*, 3(3), 646-653.

26. Гиясова, Н., Жалилов, Х., Садуллаев, О., Назарова, М., & Шавкатова, Ш. (2022). Визуализация травматических повреждений плечевого пояса (часть 2). *Involta Scientific Journal*, 1(11), 59-75.

27. Жалилов, Х. М., Каххаров, А. С., Негматов, И. С., Бобохолова, С. Ш., & Шавкатова, Ш. Ш. (2022). Краткая История Искусственного Интеллекта И Роботизированной Хирургии В Ортопедии И Травматологии И Ожидания На Будущее. *Central Asian Journal of Medical and Natural Science*, 3(6), 223-232.

28. Каримов, З., Мухсинов, К., Назарова, М., & Шавкатова, Ш. (2022). Визуализация травматических повреждений плечевого пояса (часть 1). *Involta Scientific Journal*, 1(11), 43-58.

29. Каххаров, А. С., Гиясова, Н. К., Шавкатова, Ш. Ш., & Рахмонов, У. Т. (2022). Асептический Некроз Головки Бедренной Кости, Рекомендации Для Врачей. *Central Asian Journal of Medical and Natural Science*, 3(4), 268-277.

30. Каххаров, А. С., Гиясова, Н. К., Шукурова, Л. Б., & Шавкатова, Ш. Ш. (2022). Профилактика Асептического Некроза Головки Бедренной Кости Вызванного Стероидами При Лечении COVID-19. *Central Asian Journal of Medical and Natural Science*, 3(6), 63-78.

31. Каххаров, А. С., Гиясова, Н. К., Шукурова, Л. Б., & Шавкатова, Ш. Ш. (2022). Факторы риска развития асептического остеонекроза (новейший обзор литературы). *Science and Education*, 3(11), 305-313.

32. МАМУРОВА, М. М., Умаржоновна, Я. Э., БАХРИТДИНОВ, Б. Р., ГИЯСОВА, Н. К., & МАРДИЕВА, Г. М. (2022). On the assessment of anomalies in the development of the vertebrobasilar zone in dyscirculatory encephalopathy by MRI. *Журнал биомедицины и практики*, 7(1).

33. Мамурова, М. М., Янова, Э. У., Бахритдинов, Б. Р., Гиясова, Н. К., & Мардиева, Г. М. (2021). Магнитно-Резонансная Томография В Диагностике

Дисциркуляторной Энцефалопатии На Фоне Аномалий Развития. *Central Asian Journal of Medical and Natural Science*, 2(6), 131-136.

34. Мансуров, Д. Ш., Лучкевич, В. С., Тарасов, А. В., Корнеенков, А. А., & Ткаченко, А. Н. (2019). Обоснование медико-организационных мероприятий по улучшению профилактики и оценка вероятности развития инфекции в области хирургического вмешательства у пострадавших с переломами костей. *Профилактическая и клиническая медицина*, (1), 39-45.

35. Мансуров, Д. Ш., Тарасов, А. А., Дорофеев, Ю. Л., Федulichев, П. Н., Корнеенков, А. А., & Ткаченко, А. Н. (2018). Организация профилактики местных гнойных осложнений при травматологических операциях в Республике Крым. In *Профилактическая медицина-2018* (pp. 85-90).

36. Мансуров, Д. Ш., Уразовская, И. Л., Сайганов, С. А., Ткаченко, А. Н., Хайдаров, В. М., Балглей, А. Г., & Тотоев, З. А. (2022). Роль артропластики в комплексном лечении остеоартрита коленного сустава. *Политравма*, (3), 80-88.

37. Мардиева, Г. М., & Ашуров, Ж. Н. У. (2022). Possibilities of radiography in the diagnosis of pneumonia in newborns. *Uzbek journal of case reports*, 2(3), 31-36.

38. Мардиева, Г. М., Облобердиева, П. О. К., & Казаков, С. Ю. У. (2020). Лучевые методы исследования в диагностике портальной гипертензии (обзор литературы). *Вопросы науки и образования*, (41 (125)), 61-76.

39. Мардиева, Г. М., Уринбоева, Д. С., Шукурова, Л. Б., & Гиясова, Н. К. (2021). Аспекты ультразвуковой диагностики хронического тиреоидита. *Re-health journal*, (1 (9)), 47-50.

40. Мардиева, Г., Ашуров, Ж., Бахритдинов, Б., & Якубов, Г. (2021). РЕНТГЕНОЛОГИЧЕСКАЯ СИМПТОМАТИКА ПНЕВМОНИИ У ДЕТЕЙ РАННЕГО ВОЗРАСТА. *Журнал гепато-гастроэнтерологических исследований*, 2(3.1), 46-49.

41. Мухсинов, К. М., Шавкатова, Ш. Ш., & Орипова, Д. А. (2022). Ротационная Оценка Переломов Диафиза Плечевой Кости С Фиксированным Проксимальным Разгибанием По Методике Мiро. *Central Asian Journal of Medical and Natural Science*, 3(5), 279-285.

42. Норматова, З. И., & Янова, Э. У. (2017). Эпидемиология опухолей печени. In *Молодежь и медицинская наука в XXI веке* (pp. 222-224).

43. Руссу, И. И., Линник, С. А., Синенченко, Г. И., Ткаченко, А. Н., Фадеев, Е. М., & Мансуров, Д. Ш. (2016). Возможности вакуумной терапии в лечении инфекционных осложнений у пациентов ортопедо-травматологического профиля (обзор литературы). *Кафедра травматологии и ортопедии*, (2), 49-54.

44. Слабоспицкий, М. А., Мохов, Д. Е., Лимарев, В. В., Ткаченко, П. В., Ткаченко, А. Н., Мансуров, Д. Ш., & Хайдаров, В. М. (2022). Обоснование экономической эффективности авторской мануальной методики вправления вывиха плеча. *Российский остеопатический журнал*, (3), 103-113.

45. ТИЛЯКОВ, А. Б., & ТИЛЯКОВ, Х. А. (2022). ПРИМЕНЕНИЕ МАЛОИНВАЗИВНЫХ ТЕХНОЛОГИЙ ПРИ ЛЕЧЕНИИ ОПОРНО-ДВИГАТЕЛЬНОГО АППАРАТА У ПОСТРАДАВШИХ С ПОЛИТРАВМОЙ. *ЖУРНАЛ БИОМЕДИЦИНЫ И ПРАКТИКИ*, 7(2).

46. Ткаченко, А. Н., Корнеев, А. А., Дорофеев, Ю. Л., Мансуров, Д. Ш., Хромов, А. А., Хайдаров, В. М., ... & Алиев, Б. Г. (2021). Оценка динамики качества жизни методами анализа выживаемости у пациентов, перенесших артропластику тазобедренного сустава. *Гений ортопедии*, 27(5), 527-531.

47. Ткаченко, А. Н., Уль, Х. Э., Алказ, А. В., Ранков, М. М., Хромов, А. А., ФАДЕЕВ, Е., & МАНСУРОВ, Д. (2017). Частота и структура осложнений при лечении переломов длинных костей конечностей (обзор литературы). *Кафедра травматологии и ортопедии*, (3), 87-94.

48. Ткаченко, А. Н., Фадеев, Е. М., Усиков, В. В., Хайдаров, В. М., Мансуров, Д. Ш., & Нур, О. Ф. (2017). Прогноз и профилактика инфекции области хирургического вмешательства при операциях на позвоночнике (обзор литературы). *Кафедра травматологии и ортопедии*, (1), 28-34.

49. Фадеев, Е. М., Хайдаров, В. М., Виссарионов, С. В., Линник, С. А., Ткаченко, А. Н., Усиков, В. В., ... & Фаруг, Н. О. (2017). Частота и структура осложнений при операциях на позвоночнике. *Ортопедия, травматология и восстановительная хирургия детского возраста*, 5(2), 75-83.

50. Хайдаров, В. М., Ткаченко, А. Н., Кирилова, И. А., & Мансуров, Д. Ш. (2018). Прогноз инфекции в области хирургического вмешательства при операциях на позвоночнике. *Хирургия позвоночника*, 15(2), 84-90.

51. Широ́в, Б. Ф. (2021). УЗИ ТАЗОБЕДРЕННОГО СУСТАВА ПО ГРАФУ: СТАНДАРТИЗОВАННОЕ РАННЕЕ ВЫЯВЛЕНИЕ ВРОЖДЕННОЙ ДИСПЛАЗИИ ТАЗОБЕДРЕННОГО СУСТАВА. *Scientific progress*, 2(2), 917-922.

52. Широ́в, Б., Янова, Э., & Турдуматов, Ж. (2021). Ultrasound assessment of varying degrees of hip dysplasia in neonates. *Журнал гепатогастроэнтерологических исследований*, 2(3.2), 146-149.

53. ЯНОВА, Э. У., & МАРДИЕВА, Г. М. (2020). Что такое аномалия Киммерле и как она влияет на кровообращение в вертебробазиллярной зоне (обзор литературы). *Журнал неврологии и нейрохирургических исследований*, 1(2).

54. Янова, Э. У. (2019). Влияние аномалии Киммерле на кровообращение в вертебробазиллярной зоне. *ТОМ-I*, 465.

55. Янова, Э. У., & Мардиева, Г. М. (2021). Выявление аномалии Киммерле лучевыми методами исследования. *Российский электронный журнал лучевой диагностики*, 11(4), 44-52.

56. Янова, Э. У., Мардиева, Г. М., & Юлдашев, Р. А. (2021). Evaluation of blood circulation in Kimmerle's anomaly. *Re-health journal*, (1), 30-33.

57. Янова, Э. У., Облобердиева, П. О., & Салохий, И. О. (2022). Сравнительный Анализ Рентгенологических Методов Исследования В Выявлении

Аномалии Киммерле. *Central Asian Journal of Medical and Natural Science*, 3(5), 429-439.

58. Янова, Э. У., Юлдашев, Р. А., & Гиясова, Н. К. (2021). Аномалия Киммерле при визуализации краниовертебральной области. *вестник КГМА имени ИК Ахунбаева*, 4(4), 130-134.

59. Янова, Э. У., Юлдашев, Р. А., & Мардиева, Г. М. (2019). Лучевая диагностика краниовертебрального кровообращения при аномалии Киммерле. *Вопросы науки и образования*, (27 (76)), 94-99.

60. Янова, Э., Мардиева, Г., Гиясова, Н., Бахритдинов, Б., & Юлдашев, Р. (2021). Костная перемычка первого шейного позвонка. *Журнал вестник врача*, 1(4 (101)), 93-100.