

RADIATION DIAGNOSTICS OF ECHINOCOCCOSIS

Rawat Aditya, Krishnan Anandhu

Samarkand state medical university

ANNOTATION. In order to increase the efficiency of diagnosing echinococcosis, the results of radiation examination of 275 patients with verified forms of this disease were analyzed. Echinococcosis of abdominal localization was diagnosed in 198 cases (72.0%), thoracic - in 45 cases (16.4%), other - in 32 (11.6%). Based on determining the accuracy, sensitivity and specificity of radiation examination methods, an algorithm for rational examination of patients has been developed, consisting of four stages: 1 - screening, 2 - clarification of the volume of the lesion, 3 - additional examination for multiple and solitary cysts, more than 3 cm, 4 - control effectiveness of treatment.

Key words: helminthiasis, echinococcosis, radiation diagnostics, computed tomography, magnetic resonance imaging, ultrasound.

Introduction. Echinococcosis is a dangerous zoonanthropohelminthiasis, the incidence of which from 1991 to 2015 increased 3 times from 0.1 to 0.3 cases per 100 thousand population. In 2012, the maximum incidence rate was recorded - 0.41 cases per 100 thousand population [7, 10]. Echinococcal disease is characterized by a long chronic course, severe organ and systemic disorders, extensive damage, leading to disability and possible death. Every year in the Russian Federation, from 1 to 8 cases of death of patients from echinococcosis are registered [8, 10]. Surgical intervention, according to various authors, is possible only in 25-50% of patients, while the frequency of complications ranges from 10 to 80% of cases, mortality - from 3 to 20%, relapses of the disease are observed in 10-35% of patients. In many ways, the reason for this is the lack of objective data to choose the most effective treatment method [6, 9, 13, 14]. Difficulties in clinical diagnosis of echinococcosis are usually due to a long latent period, torpid course of the process and the absence of a typical clinical picture of the disease. A positive reaction to serological immune tests for echinococcosis is observed in 75% of patients. In pulmonary and complicated forms of the disease, the accuracy of diagnostic tests decreases or disappears altogether [1, 2, 4, 12]. Traditional X-ray techniques (TRG) do not allow timely detection of cystic changes in the mediastinum, pericardium, brain, and parenchymal organs [3, 11]. This circumstance determines the need to develop and implement into diagnostic practice of echinococcosis a scientifically based algorithm for examining patients, including computed tomography (CT) and magnetic resonance imaging (MRI).

Goal: to increase the efficiency of diagnosing echinococcosis of various localizations based on the rational use of radiation methods. **Materials and methods:** The work is based on an analysis of the results of clinical and instrumental, including radiation, studies of 275 patients aged 15 to 72 years with verified primary echinococcosis. The following forms of parasitic infection were identified in them: isolated (238), combined (23), multiple (14). These forms of echinococcosis were established taking into account clinical and radiological examination data, among which

serological tests for echinococcosis, TRH, ultrasound, CT and MRI were considered the most important. The asymptomatic stage of the clinical course of echinococcosis was determined in 12 patients, the stage of initial manifestations - in 83, pronounced manifestations - in 158, the stage of complications - in 22. In the stage of complications, suppuration of the cyst (4) and breakthroughs of the cyst into the bronchus (6), into the abdominal cavity were observed (5), into the bile ducts (4), into the pleural cavity (3). The number of patients examined made it possible to determine the accuracy, sensitivity and specificity of radiation methods in detecting echinococcosis only in the abdominal and thoracic localization. Results and its discussion. Abdominal localization of echinococcosis (Fig. 1, 2) included parasitic cysts of the abdominal organs, retroperitoneal space and soft tissues of the abdominal wall. Thoracic localization (Fig. 3, 4) – echinococcosis of the lungs, mediastinum and heart. A different localization of echinococcosis was observed in the brain (Fig. 5) and skeletal bones.

CT is most effective in detecting echinococcosis of abdominal localization (the accuracy of the method is 95.5%). MRI, due to its high information content (the accuracy of the method is 89.7%), can also serve as the main method for characterizing hydatid cysts of abdominal localization. The high sensitivity of ultrasound (88.7%) ensures its role as a screening method in the diagnosis of abdominal echinococcosis.

At the first stage, patients with suspected echinococcosis underwent liver ultrasound, fluorography (radiography of the chest organs) and serological tests. This volume of diagnostic studies was screening; it made it possible to establish the fact of parasitic invasion and the presence of echinococcal cysts in the most commonly affected organs - the liver and/or lungs. The next stage of the examination was CT. It was carried out in order to clarify the extent of spread of echinococcal lesions and was carried out in the order of a sequential study of the state of the anatomical areas, according to the patient's complaints, physical examination and the pathogenetic mechanism of echinococcal invasion: the upper floor of the abdomen, the lower floor of the abdomen, chest, head, spine, and other areas. The indication for examination of the next anatomical region in the specified order was the detection of two or more echinococcal cysts. The greater the number of cysts found in the area under study, the higher the likelihood of having cysts in the next area in pathogenetic order. The detection of a solitary hydatid cyst with a diameter of less than 3 cm on CT served as an indication for conservative treatment. Multiple cysts and solitary cysts greater than 3 cm in diameter potentially required surgical treatment. This group of patients, according to clinical indications, underwent various instrumental studies in order to clarify the possibility of surgical intervention and its planning. After surgical, conservative or prophylactic treatment, control radiological examinations of the corresponding anatomical zone were carried out annually (and more often according to clinical indications) and serological tests were performed. A differentiated approach to the use of diagnostic methods has significantly expanded the possibilities of timely and reliable detection of echinococcal lesions, as well as its comprehensive characterization. The presented diagnostic tactics contributed to adequate treatment of echinococcosis of various localizations in each specific case. In identifying echinococcosis of abdominal localization, X-ray computed tomography is most effective

(sensitivity - 95.6%, specificity - 95.3%). It is inferior to magnetic resonance imaging (sensitivity - 88.8%, specificity - 91.7%). The sensitivity of ultrasound (88.7%) ensures its role as a screening method in the diagnosis of abdominal echinococcosis. In the diagnosis of echinococcosis of thoracic localization, the effectiveness indicators of computed tomography (sensitivity - 95.6%, specificity - close to 100%) exceed the effectiveness indicators of the traditional x-ray method (sensitivity - 46.7%, specificity - 76.1%), providing for computed tomography the right of the method of choice and leaving traditional radiography the role of a screening method.

Conclusion. When examining patients with suspected echinococcosis, the following tactics should be followed: Stage I – ultrasound of the liver, fluorography (radiography) of the chest organs and serological tests. This volume of diagnostic studies is screening and makes it possible to establish the fact of parasitic invasion and the presence of echinococcal cysts in the most commonly affected organs - the liver and/or lungs. Stage II - CT, in order to clarify the extent of the spread of echinococcal lesions, is performed in the order of a sequential study of the state of the anatomical areas, according to the patient's complaints, physical examination and the pathogenetic mechanism of echinococcal invasion. Stage III - additional clinical, laboratory and instrumental studies in order to clarify the possibility of surgical intervention and its planning in patients with multiple and solitary cysts with a diameter of more than 3 cm. Stage IV - control radiation studies and serological tests after surgical, conservative or preventive treatment (annually or when clinically indicated).

References

1. Akbarovich, Y. G., & Vaxobovich, A. O. (2022). IMPROVEMENT OF THE METHOD OF RADIATION DIAGNOSTICS OF DEGENERATIVE CENTRAL STENOSIS OF THE CERVICAL SPINAL CANAL. *American Journal of Interdisciplinary Research and Development*, 6, 48-51.
2. Azizovich, H. T. (2021). A Modern Approach to the Care of Victims with Combined Pelvic and Femoral Bone Injuries Based on the Severity of the Injury and the Severity of the Condition. *Central Asian Journal of Medical and Natural Science*, 2(4), 156-159.
3. Burievich, T. A., Norkulovich, P. S., & Azizovich, T. H. (2022). OPTIMAL CHOICE OF SURGICAL TREATMENT FOR LUMBAR SPONDYLOLISTHESI. *The American Journal of Medical Sciences and Pharmaceutical Research*, 4(02), 12-16.
4. Burievich, T. A., Tilakovich, T. B., & Azizovich, T. K. (2021). OUR EXPERIENCE OF SURGICAL TREATMENT OF UNKNOWN FRACTURES AND FALSE JOINTS OF THE SHIN BONES. *European Journal of Molecular & Clinical Medicine*, 7(09), 2020.
5. Furkatovich, S. B., Anvarovich, T. J., Akbarovich, Y. G., & Berdimurodovich, K. Z. (2021). Ultrasound diagnosis of hip dysplasia in infants. *World Bulletin of Public Health*, 5, 108-110.

6. Mamatmurodovna, M. G., Farhodovich, N. S., Saidkulovich, B. A., Umarjonovna, Y. E., & Amonillaevna, F. D. (2018). Peculiarities of x-ray semiotics in early age children with pneumonia. *European science review*, 2(11-12), 103-105.

7. Manapovich, M. S., Yuldashevich, V. E., Pulatovich, X. B., Lvovich, K. D., Jamalovich, A. J., Erkinovich, V. O., ... & Djamshidovich, I. A. (2021). EXPERIENCE OF APPLICATION OF SIMULTANE SURGERY IN PATIENTS WITH SKELETAL INJURY COMPLICATED WITH DEEP VENOUS THROMBOSIS OF THE LOWER LIMBS AND PELVIS. *European Journal of Molecular & Clinical Medicine*, 7(09), 2020.

8. Shamsiddinovich, M. J., Berdimuradovich, K. Z., & Berdialievich, U. S. (2022). Improvement of mri diagnostics in hoff's disease. *Yosh Tadqiqotchi Jurnal*, 1(4), 358-370.

9. Shirov, B. F. (2022). Early Diagnosis of DDH in Young Children in the Endemic Zone. *INTERNATIONAL JOURNAL OF HEALTH SYSTEMS AND MEDICAL SCIENCES*, 1(4), 413-415.

10. Shirov, B. F., & Yanova, E. U. (2021). Turdumatov ZhA. Ultrasound evaluation of various degrees of hip dysplasia in newborns. *Journal of Hepato-Gastroenterological Research*, 3(2), 146-149.

11. Tilyakov, H. A., Valiyev, E. Y., Tilyakov, A. B., & Tilyakov, A. B. (2021). A new approach to surgical treatment of victims with pelvic and femoral fracture injuries, taking into account the severity of the condition and the severity of the injury. *International Journal of Health and Medical Sciences*, 4(3), 338-346.

12. Tilyakov, K. A., Tilyakov, A. B., Shamsiev, J. Z., Rabimov, F. K., Rustamov, Z. A. U., & Sattarov, S. S. (2022). Our experience with the results of surgical treatment of victims with concomitant injuries of the pelvis and femur. *Cardiometry*, (24), 217-225.

13. Turdumatov, J., & Mardieva, G. (2020). Clinical and X-ray peculiarities of the course of chronic obstructive pulmonary disease in combination with diabetes mellitus. *European Journal of Molecular & Clinical Medicine*, 7(02), 2020.

14. Umarjonovna, Y. E., & Mamatmurodovna, M. G. (2020). Arcuate foramen of atlas: Do I need to diagnose?. *European Journal of Molecular & Clinical Medicine*, 7(02), 2020.

15. Алиев, Б. Г., Исмаел, А., Уразовская, И. Л., Мансуров, Д. Ш., Ткаченко, А. Н., Хайдаров, В. М., & Спичко, А. А. (2022). Частота и структура негативных последствий эндопротезирования тазобедренного сустава в отдаленные сроки. *Новости хирургии*, 30(4), 392-400.

16. Алиев, М. А., Раджабов, Х. Х., Холмуродова, Х. Х., & Холмуродов, О. Х. (2022). Результат хирургического лечения длинной интрамедуллярной опухоли спинного мозга со сирингомиелией. *Uzbek journal of case reports*, 2(3), 7-17.

17. Балглей, А. Г., Ткаченко, А. Н., Хайдаров, В. М., Мансуров, Д. Ш., & Уразовская, И. Л. (2022). Частота и структура осложнений при артроскопическом

лечении остеоартрита коленного сустава. *Вестник Северо-Западного государственного медицинского университета им. ИИ Мечникова*, 14(2), 35-47.

18. Барановский, А. А., Балглей, А. Г., Ткаченко, А. Н., Мансуров, Д. Ш., & Хромов, А. А. (2023). Возможности туннелизации в лечении остеоартрита коленного сустава. *Гений ортопедии*, 29(2), 204-210.

19. Барановский, А. А., Уразовская, И. Л., Мансуров, Д. Ш., Сайганов, С. А., Мазуров, В. И., Ткаченко, А. Н., & Мамасолиев, Б. М. (2022). Организация лечения остеоартрита коленного сустава. *Uzbek journal of case reports*, 2(3), 37-45.

20. Валиев, Э. Ю., Тиляков, Х. А., Каримов, Б. Р., & Исмоилов, А. Д. (2021). СОВРЕМЕННЫЙ ВЗГЛЯД НА ВЫБОР ТАКТИКИ ЛЕЧЕНИЯ ПОСТРАДАВШИХ С СОЧЕТАННЫМИ ПОВРЕЖДЕНИЯМИ ТАЗА И БЕДРА. In *МЕДИЦИНСКАЯ ПОМОЩЬ ПРИ ТРАВМАХ. НОВОЕ В ОРГАНИЗАЦИИ И ТЕХНОЛОГИЯХ. РОЛЬ НАЦИОНАЛЬНОЙ ОБЩЕСТВЕННОЙ ПРОФЕССИОНАЛЬНОЙ ОРГАНИЗАЦИИ ТРАВМАТОЛОГОВ В СИСТЕМЕ ЗДРАВООХРАНЕНИЯ РФ* (pp. 23-24).

21. Валиев, Э. Ю., Хасанов, З. Р., Яхёев, А. С., & Тиляков, Х. А. (2022). Совершенствование оказания хирургической помощи пострадавшим с повреждениями таза. In *Скорая медицинская помощь-2022* (pp. 36-38).

22. Вансович, Д. Ю., Сердобинцев, М. С., Усиков, В. В., Цололо, Я. Б., Мансуров, Д. Ш., Спичко, А. А., ... & Вороков, А. А. (2021). Применение электростатического поля электрета при хирургическом лечении больных гонартрозом. *Медико-фармацевтический журнал «Пульс»*, 23(3), 24-30.

23. Воронов, А. А., Фадеев, Е. М., Спичко, А. А., Алиев, Б. Г., Мурзин, Е. А., Хайдаров, В. М., ... & Ткаченко, А. Н. (2020). Возможности прогноза местных инфекционных осложнений при артропластике тазобедренного и коленного суставов. *Медико-фармацевтический журнал «Пульс»*, 22(12), 106-111.

24. Гайковая, Л. Б., Ткаченко, А. Н., Ермаков, А. И., Фадеев, Е. М., Усиков, В. В., Хайдаров, В. М., & Мансуров, Д. Ш. (2018). Лабораторные маркеры прогноза инфекции области хирургического вмешательства при транспедикулярной фиксации позвоночника. *Профилактическая и клиническая медицина*, 1, 50-56.

25. Гиясова, Н. К., & Шукурова, Л. Б. (2022). Оценка результатов перфузионной компьютерной томографии печени как неинвазивного метода изучения гемодинамики печеночной паренхимы у пациентов с фиброзом и циррозом. *Central Asian Journal of Medical and Natural Science*, 3(3), 646-653.

26. Гиясова, Н., Жалилов, Х., Садуллаев, О., Назарова, М., & Шавкатова, Ш. (2022). Визуализация травматических повреждений плечевого пояса (часть 2). *Involta Scientific Journal*, 1(11), 59-75.

27. Жалилов, Х. М., Каххаров, А. С., Негматов, И. С., Бобохолова, С. Ш., & Шавкатова, Ш. Ш. (2022). Краткая История Искусственного Интеллекта И Роботизированной Хирургии В Ортопедии И Травматологии И Ожидания На Будущее. *Central Asian Journal of Medical and Natural Science*, 3(6), 223-232.

28. Каримов, З., Мухсинов, К., Назарова, М., & Шавкатова, Ш. (2022). Визуализация травматических повреждений плечевого пояса (часть 1). *Involta Scientific Journal*, 1(11), 43-58.
29. Каххаров, А. С., Гиясова, Н. К., Шавкатова, Ш. Ш., & Рахмонов, У. Т. (2022). Асептический Некроз Головки Бедренной Кости, Рекомендации Для Врачей. *Central Asian Journal of Medical and Natural Science*, 3(4), 268-277.
30. Каххаров, А. С., Гиясова, Н. К., Шукурова, Л. Б., & Шавкатова, Ш. Ш. (2022). Профилактика Асептического Некроза Головки Бедренной Кости Вызванного Стероидами При Лечении COVID-19. *Central Asian Journal of Medical and Natural Science*, 3(6), 63-78.
31. Каххаров, А. С., Гиясова, Н. К., Шукурова, Л. Б., & Шавкатова, Ш. Ш. (2022). Факторы риска развития асептического остеонекроза (новейший обзор литературы). *Science and Education*, 3(11), 305-313.
32. МАМУРОВА, М. М., Умаржоновна, Я. Э., БАХРИТДИНОВ, Б. Р., ГИЯСОВА, Н. К., & МАРДИЕВА, Г. М. (2022). On the assessment of anomalies in the development of the vertebrobasilar zone in dyscirculatory encephalopathy by MRI. *Журнал биомедицины и практики*, 7(1).
33. Мамурова, М. М., Янова, Э. У., Бахритдинов, Б. Р., Гиясова, Н. К., & Мардиева, Г. М. (2021). Магнитно-Резонансная Томография В Диагностике Дисциркуляторной Энцефалопатии На Фоне Аномалий Развития. *Central Asian Journal of Medical and Natural Science*, 2(6), 131-136.
34. Мансуров, Д. Ш., Лучкевич, В. С., Тарасов, А. В., Корнеенков, А. А., & Ткаченко, А. Н. (2019). Обоснование медико-организационных мероприятий по улучшению профилактики и оценка вероятности развития инфекции в области хирургического вмешательства у пострадавших с переломами костей. *Профилактическая и клиническая медицина*, (1), 39-45.
35. Мансуров, Д. Ш., Тарасов, А. А., Дорофеев, Ю. Л., Федуличев, П. Н., Корнеенков, А. А., & Ткаченко, А. Н. (2018). Организация профилактики местных гнойных осложнений при травматологических операциях в Республике Крым. In *Профилактическая медицина-2018* (pp. 85-90).
36. Мансуров, Д. Ш., Уразовская, И. Л., Сайганов, С. А., Ткаченко, А. Н., Хайдаров, В. М., Балглей, А. Г., & Тотоев, З. А. (2022). Роль артропластики в комплексном лечении остеоартрита коленного сустава. *Политравма*, (3), 80-88.
37. Мардиева, Г. М., & Ашуров, Ж. Н. У. (2022). Possibilities of radiography in the diagnosis of pneumonia in newborns. *Uzbek journal of case reports*, 2(3), 31-36.
38. Мардиева, Г. М., Облобердиева, П. О. К., & Казаков, С. Ю. У. (2020). Лучевые методы исследования в диагностике портальной гипертензии (обзор литературы). *Вопросы науки и образования*, (41 (125)), 61-76.
39. Мардиева, Г. М., Уринбоева, Д. С., Шукурова, Л. Б., & Гиясова, Н. К. (2021). Аспекты ультразвуковой диагностики хронического тиреоидита. *Re-health journal*, (1 (9)), 47-50.

40. Мардиева, Г., Ашуров, Ж., Бахритдинов, Б., & Якубов, Г. (2021). РЕНТГЕНОЛОГИЧЕСКАЯ СИМПТОМАТИКА ПНЕВМОНИИ У ДЕТЕЙ РАННЕГО ВОЗРАСТА. *Журнал гепато-гастроэнтерологических исследований*, 2(3.1), 46-49.

41. Мухсинов, К. М., Шавкатова, Ш. Ш., & Орипова, Д. А. (2022). Ротационная Оценка Переломов Диафиза Плечевой Кости С Фиксированным Проксимальным Разгибанием По Методике Мiро. *Central Asian Journal of Medical and Natural Science*, 3(5), 279-285.

42. Норматова, З. И., & Янова, Э. У. (2017). Эпидемиология опухолей печени. In *Молодежь и медицинская наука в XXI веке* (pp. 222-224).

43. Руссу, И. И., Линник, С. А., Синенченко, Г. И., Ткаченко, А. Н., Фадеев, Е. М., & Мансуров, Д. Ш. (2016). Возможности вакуумной терапии в лечении инфекционных осложнений у пациентов ортопедо-травматологического профиля (обзор литературы). *Кафедра травматологии и ортопедии*, (2), 49-54.

44. Слабоспицкий, М. А., Мохов, Д. Е., Лимарев, В. В., Ткаченко, П. В., Ткаченко, А. Н., Мансуров, Д. Ш., & Хайдаров, В. М. (2022). Обоснование экономической эффективности авторской мануальной методики вправления вывиха плеча. *Российский остеопатический журнал*, (3), 103-113.

45. ТИЛЯКОВ, А. Б., & ТИЛЯКОВ, Х. А. (2022). ПРИМЕНЕНИЕ МАЛОИНВАЗИВНЫХ ТЕХНОЛОГИЙ ПРИ ЛЕЧЕНИИ ОПОРНО-ДВИГАТЕЛЬНОГО АППАРАТА У ПОСТРАДАВШИХ С ПОЛИТРАВМОЙ. *ЖУРНАЛ БИОМЕДИЦИНЫ И ПРАКТИКИ*, 7(2).

46. Ткаченко, А. Н., Корнеев, А. А., Дорофеев, Ю. Л., Мансуров, Д. Ш., Хромов, А. А., Хайдаров, В. М., ... & Алиев, Б. Г. (2021). Оценка динамики качества жизни методами анализа выживаемости у пациентов, перенесших артропластику тазобедренного сустава. *Гений ортопедии*, 27(5), 527-531.

47. Ткаченко, А. Н., Уль, Х. Э., Алказ, А. В., Ранков, М. М., Хромов, А. А., ФАДЕЕВ, Е., & МАНСУРОВ, Д. (2017). Частота и структура осложнений при лечении переломов длинных костей конечностей (обзор литературы). *Кафедра травматологии и ортопедии*, (3), 87-94.

48. Ткаченко, А. Н., Фадеев, Е. М., Усиков, В. В., Хайдаров, В. М., Мансуров, Д. Ш., & Нур, О. Ф. (2017). Прогноз и профилактика инфекции области хирургического вмешательства при операциях на позвоночнике (обзор литературы). *Кафедра травматологии и ортопедии*, (1), 28-34.

49. Фадеев, Е. М., Хайдаров, В. М., Виссарионов, С. В., Линник, С. А., Ткаченко, А. Н., Усиков, В. В., ... & Фаруг, Н. О. (2017). Частота и структура осложнений при операциях на позвоночнике. *Ортопедия, травматология и восстановительная хирургия детского возраста*, 5(2), 75-83.

50. Хайдаров, В. М., Ткаченко, А. Н., Кирилова, И. А., & Мансуров, Д. Ш. (2018). Прогноз инфекции в области хирургического вмешательства при операциях на позвоночнике. *Хирургия позвоночника*, 15(2), 84-90.

51. Широ́в, Б. Ф. (2021). УЗИ ТАЗОБЕДРЕННОГО СУСТАВА ПО ГРАФУ: СТАНДАРТИЗОВАННОЕ РАННЕЕ ВЫЯВЛЕНИЕ ВРОЖДЕННОЙ ДИСПЛАЗИИ ТАЗОБЕДРЕННОГО СУСТАВА. *Scientific progress*, 2(2), 917-922.

52. Широ́в, Б., Янова, Э., & Турдуматов, Ж. (2021). Ultrasound assessment of varying degrees of hip dysplasia in neonates. *Журнал генито-гастроэнтерологических исследований*, 2(3.2), 146-149.

53. ЯНОВА, Э. У., & МАРДИЕВА, Г. М. (2020). Что такое аномалия Киммерле и как она влияет на кровообращение в вертебробазиллярной зоне (обзор литературы). *Журнал неврологии и нейрохирургических исследований*, 1(2).

54. Янова, Э. У. (2019). Влияние аномалии Киммерле на кровообращение в вертебробазиллярной зоне. *ТОМ-1*, 465.

55. Янова, Э. У., & Мардиева, Г. М. (2021). Выявление аномалии Киммерле лучевыми методами исследования. *Российский электронный журнал лучевой диагностики*, 11(4), 44-52.

56. Янова, Э. У., Мардиева, Г. М., & Юлдашев, Р. А. (2021). Evaluation of blood circulation in Kimmerle's anomaly. *Re-health journal*, (1), 30-33.

57. Янова, Э. У., Облобердиева, П. О., & Салохий, И. О. (2022). Сравнительный Анализ Рентгенологических Методов Исследования В Выявлении Аномалии Киммерле. *Central Asian Journal of Medical and Natural Science*, 3(5), 429-439.

58. Янова, Э. У., Юлдашев, Р. А., & Гиясова, Н. К. (2021). Аномалия Киммерле при визуализации краниовертебральной области. *вестник КГМА имени ИК Ахунбаева*, 4(4), 130-134.

59. Янова, Э. У., Юлдашев, Р. А., & Мардиева, Г. М. (2019). Лучевая диагностика краниовертебрального кровообращения при аномалии Киммерле. *Вопросы науки и образования*, (27 (76)), 94-99.

60. Янова, Э., Мардиева, Г., Гиясова, Н., Бахритдинов, Б., & Юлдашев, Р. (2021). Костная перемычка первого шейного позвонка. *Журнал вестник врача*, 1(4 (101)), 93-100.